

MKPULSE

PRO AUDIO · POWERED PA

S15

Full Spec Sheet

15-Inch 2-Way Active Powered PA Speaker

ITEM #: MKPULSES15

LAUNCHING AUGUST 2026

500W RMS · 118 dB Max SPL · Dual Combo Inputs · Bluetooth 5.0 + TWS · DSP

Technical specifications

Confirmed numbers for the MKPULSE S15 (Item #: MKPULSES15). A blank or pending field means the value will be published before orders open — we do not invent marketing peaks.

Speaker Type	2-Way Active Powered PA Speaker
Woofers	15" — 60oz magnet — 3" voice coil — 4Ω
HF Driver	44mm Compression Driver
RMS Power Output	500W RMS
Amplifier	Class-D Bi-Amp with DSP
Frequency Response	40Hz – 20kHz
Maximum SPL	118 dB
DSP Modes	Music / Vocal / Speech / Flat
Bluetooth Version	Bluetooth 5.0
TWS Pairing	Yes
Microphone Inputs	2 × XLR / 6.35mm Combo Inputs
Line Output	1 × Balanced XLR Output
Display	LCD Control Display
Cabinet	Polypropylene (PP) — 2 side handles
Power	AC 110V – 240V
Dimensions (Carton)	48 × 43 × 76 cm
Weight	22.4 kg net — 25.3 kg carton
Colour	Matte Black
Warranty	Limited Warranty Support — United States

What's in the carton

- MKPULSE S15 Powered Speaker Unit
- Power Cable
- Quick Start Guide
- User Manual

Note: microphone and stand are sold separately unless bundled by your retailer.

*Battery runtime varies with volume, program material, lighting features, and ambient temperature. Compare RMS to RMS when evaluating powered systems.

Full setup detail lives in the Product Handbook and Quick-Start Guide on the same product page.